## Fire Chief Report March 2022 Regular Board Meeting

- 1) E- 7222 is in Redding for repair and annual maintenance.
- 2) Working with legal regarding litigation, Anthony Balbiani. 5 Full time staff will be deposed between March 21<sup>st</sup> and April 18<sup>th</sup>. Balbiani was deposed on February 9<sup>th</sup>. (ongoing)
- 3) Balbiani's attorney will be here March 21 at 1:00 PM for a site inspection of the Fire Department.
- 4) We did an emergency land use agreement with PG&E to rent out a space in our hanger for their mobile command post for the winter storms. \$200.00 per day. They have completed their stay; we were issued a check for \$13,000.00
- 5) I am in communication with the USFS regarding renting apparatus bay space for their fire engines at HQ, this is moving up the Federal system. (ongoing)
- 6) I had a phone conversation with our new lawyer, she now has the Fire Tax measure and the language from Plumas County. She said she will take a look and see what needs to be adjusted.
- 7) The 7204 Tahoe will be upfitted on March 21.
- 8) Kyle Ariza was hired to fill our open Firefighter EMP position.
- 9) We are renting space in the hanger to Digital Path an11'x11' room for their equipment storage for \$120.00 per Month.
- 10) Mandatory holdover days in January-0

Responses for February

Fire-1 EMS in Chester-14 EMS outside Chester- 4 IFT to Airport-1

IFT Long Distance-1 Traffic Collision- 0 Public Assist- 1 False Alarm- 0

Hazardous situation –2 Aircraft down-0 Out of district fire response-0

Transfer to home in district only-0 Total 24

End of report. Brian

## **Chester Fire Protection District**


Chester, CA

This report was generated on 3/10/2022 10:50:02 AM



## Average Response Time per Apparatus for Zone for Date Range

Zone: All Zones | Start Date: 02/01/2022 | End Date: 02/28/2022



APPARATUS	AVERAGE RESPONSE TIME in minutes (Dispatch to Arrived)
1 - Chester	The second secon
7200	4.17
7204	3.00
7242	9.00
7243	6.00
7252	4.38
7261	5.00
6 - All other areas	
7221	15.00
7252	2.00